

Luz by Fibre ⚡ood



Luz by Fibre ood



XS - XXXL


Meet Luz – a.k.a. the cosy cardigan. From the second you feel a chill, Luz is your go-to item. The best news of all? This is an easy-peasy sewing project. The length of the sleeves and the cardigan is totally up to you and there's also discrete pockets for your convenience. Before you know it, you're bound to have made dozens of these cardigans to keep you cosy this winter. Wear Luz with or without a belt. It looks great over a prairie dress, trousers with a top – you name it! Want to be a trendsetter? You can go the daring route and turn Luz into a sleeveless jumper. Just make sure the armholes are finished neatly.




size chart (in cm)

size	XS		S		M		L		XL		XXL		XXXL		
	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
body height	160	164	166	167	168	169	170	171	172	172	172	172	172	172	172
B (bust)	76	80	84	88	92	96	100	104	110	116	122	128	134	140	146
H (hips)	86	90	94	97	100	103	106	109	115	120	125	130	135	140	145

Choose your size based on your bust measurement. If your hip measurements are wider than those in the size chart, check the hip measurements in the chart below to see if there's enough room or whether the pattern needs to be altered. It's easy to do. Simply trace the line of the one size instead of the other.



pattern measurements (in cm)



— shorten or lengthen the pattern here

This chart's measurements are the pattern measurements based on the fabric type and serve as a reference. Ease has been added to the width measurements (in addition to the exact body measurements) for a more comfortable fit. Luz is designed to have a comfortable cut. Depending on the preferred cut, you could decide to go a size smaller or larger than the recommended size.

size	XS	S	M	L	XL	XXL	XXXL
length	109.75	111	112	114	116.75	119.25	121
sleeve length*	64.25	65.75	67.25	68.75	70.5	72.25	74
bust	98.75	106.75	114.75	122.75	132.75	144.75	156.75
hips	98	106	114	122	132	144	156

* Including shoulder length.

Compare the stated lengths to the measured or desired lengths. **Lengthen** or **shorten** the cardigan and/or sleeves by cutting the pattern pieces at the indicated double lines. Then either increase the distance between the cut pieces by the desired amount (to lengthen), or overlap the pieces (to shorten). Make sure that the CF and CB lines and the side seams are always straight.



IMPORTANT

Adjust the amount of fabric to be used based on these alterations.

supplies



- Thread
- Fabric: see table

fabric		XS	S	M	L	XL	XXL	XXXL
fabric width 110 cm	cm	325	330	330	335	415	440	485
fabric width 140 cm	cm	265	275	305	315	325	340	355


The corresponding fabric layout can be found on page 6 of these sewing instructions.

fabric advice



Pick the jacquard or other knit fabric of your dreams and make this fabulous cardigan. Would you like to wear Luz as a coat? Then be sure to select a woven fabric with body.

Proud to be #Sewista




pattern pieces & seam allowances (in cm)

To sew the garment as described in the instructions, draw the illustrated seam allowances around the paper pattern pieces before cutting them out. If you are using a PDF pattern, the pattern can be printed with or without seam allowance.

To find out more, watch the [video](#).



1. front A: 2x
2. front B: 2x
3. back: 1x on fabric fold
4. sleeve: 2x
5. belt: 1x on fabric fold




fabric layout – solid fabrics
fabric width 110 cm

XS-XL

XXL-XXXL



+




IMPORTANT

You only need pattern piece 5 once.


fabric layout – solid fabrics

fabric width 140 cm

XS-XXL



XXXL



IMPORTANT

You only need pattern piece 5 once.

marking pattern pieces



notch the pattern paper and fabric at the following points



single notch



double notch



V notch



mark the following points using marking thread



centre point



sewing instructions



The sewing instructions explain how to make the cardigan if you don't have an overlock machine. Use a stretch stitch setting on your sewing machine to sew the seams and an overlock stitch to finish the raw edges. The seams of the cardigan can also be finished with just a 4-thread overlocker, i.e. 2 upper looper threads and 2 lower looper threads. This finishes the raw edges and sews the seams together at the same time. The seams will remain elastic.




F	front
B	back
CF	centre front
CB	centre back
	right side
	wrong side




1


Pin the front A (1) to the front B (2), right sides together as shown. Sew into place right up to the marking threads.



Pin the contours of the pocket pieces together. Sew into place starting from the marking threads.




Finish the raw edges together with overlock stitching and press the seam allowance towards the front B (2).




2


Finish the edge of the facing front (illustrated in red) with overlock stitching.




Place the finished pieces 1/2 on top of each other, right sides, together and pin and sew the CB seam together.




Finish the raw edges together with overlock stitching. Press the seam allowance to one side.



Pin and sew the shoulder seam of the front and back (2). Sew up to the marking threads. Leave the needle lowered in the fabric.




Raise the presser foot and snip into the seam allowance of the front only until just before the needle. Turn the garment and lower the presser foot back down. Continue sewing up to the next marking thread.




Leave the needle in the fabric again, raise the presser foot, and snip again into the seam allowance of the front only until just before the needle. Turn the garment and lower the presser foot back down. Continue sewing.

Finish the shoulder seams with overlock stitching.




3

Fold the facing towards the wrong side so that the neck-line of the facing and of the back are even. Sew into place between the marking threads.





Finish the raw edges of the neckline with overlock stitching.




4

Pin and sew the top of the sleeve (4)(= the sleeve cap) to the armhole with the markings matching. The single notch marks the front, while the double notch marks the back. The top notch should align with the shoulder seam.






Finish the raw edges together with overlock stitching.




Pin and sew the side and underarm seams in one continuous line of stitching.




Finish the raw edges together with overlock stitching.




Finish the sleeve hem with overlock stitching.



Fold the hem allowance over.




Hand sew or stitch the hem allowance into place.




5



Fold the facing at the bottom over toward the right side at the V notches. Stitch horizontally into place at 3 cm from the bottom.




Finish the hem allowance with overlock stitching.




Turn the facing the right way out and fold the hem allowance at the V notches towards the wrong side.



Hand sew or stitch the hem allowance into place.






6

Fold the belt (5) in half lengthwise with the right sides of the fabric facing.



Sew the indicated sides and leave an opening to turn the belt the right way out again.



Turn the belt the right way out and sew the opening closed.